DATE: Wednesday, December 03, 2003

Set Name Query		Hit Count	Hit Count Set Name	
side by side			result set	
DB=USPT; PLUR=YES; OP=OR			7	
L16	L15 and "sequence numbers"	29	L16	
L15	L14 and concurrent\$	81	L15	
L14	L13 and lock\$3	233	L14	
L13	("control page" or data\$base\$ or repositor\$3 or "page control" or "control pages") with (updat\$3 or sav\$3) with period\$	1096	L13	
L12	L11 and lock\$3 and latch\$3	31	L12	
L11	L9 and L10	1274	L11	
L10	("control page" or data\$base\$ or repositor\$3 or "page control" or "control pages") near3 (updat\$3 or sav\$3)	9369	L10	
L9	updat\$3 near3 period\$	10645	L9	
L8	L7 and period\$	1	L8	
L7	L5 and lock\$3	5	L7	
L6	L5 and lock43	0	L6	
L5	"control page" near3 updat\$3	7	L5	
L4	L1 and lock\$	0	L4	
	L1 and period\$	1	L3	
L3	•	1	L2	
L2	L1 and (sav\$3 or updat\$3)	1	L1	
L1	6135646.pn.	-		

END OF SEARCH HISTORY

12/3/03 2:34 PM



DATE: Wednesday, December 03, 2003

Set Name Query		Hit Count Set Name	
side by sid			result set
DB=U	SPT,PGPB; PLUR=YES; OP=OR		
L17	L16 not L13	16	L17
L16	L15 and "DBMS" and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	30	L16
L15	L1 and L4 and L14	725	L15
L14	(assign\$3 or creat\$3 or generat\$3) with (ID or IDs or identif\$ or ((sequence\$ or seri\$3 or serial\$5) near3 number\$)) with (document\$ or object\$ or file\$)	20048	L14
L13	L12 not (L10 and L7)	87	L13
L12	L5 and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	87	L12
L11	L5 not (L10 and L7)	690	L11
L10	L9 not L7	23	L10
L9	L5 and "DBMS"	36	L9
L8	L7 and ((707/\$ or 705/\$ or 709/\$).ccls.)	3	
L7	L5 and L6	59	L7
L6	start\$3 near3 ((sequence\$ or seri\$3 or serial\$5) near3 number\$)	2087	L6
L5	L3 and L4	690	L5
L4	range\$ near3 value\$	138107	L4
L3	L1 and L2	2900	L3
L2	(assign\$3 or creat\$3 or generat\$3) with (ID or IDs or identif\$ or ((sequence\$ or seri\$3 or serial\$5) near3 number\$)) with application\$	9245	L2
L1	(sequence\$ or seri\$3 or serial\$5) near3 number\$	128429	L1

END OF SEARCH HISTORY

DATE: Tuesday, December 02, 2003

Set Name		Hit Count S	et Name	
side by side	PT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR	-		
	L21 and ((707/\$ or 705/\$).ccls.)	9	L22	
L22	L19 and "range value"	93	L21	
L21		1	L20	
L20	L3 and L19	4090	L19	
L19 L18	L18 not L11 (assign\$3 with (number\$ or (serial\$ near2 number\$) or "sequence number" or "sequence numbers" or (sequence\$ near3 number\$)) with (application\$))	4742	L18	
L17	(assign\$3 with (number\$ or (serial\$ near2 number\$) or "sequence number" or "sequence numbers" or (sequence\$ near3 number\$)) with (application\$)).clm.	130	L17	
L16	L11 and "range value"	19	L16	
L15	(assign\$3 with ((serial\$ near2 number\$) or "sequence number" or "sequence numbers" or (sequence\$ near3 number\$)) with (application\$)).clm.	16	L15	
L14	L13 not L7	5	L14	
L13	L12 not L10	19	L13	
L12	L4 and L11	19	L12	
L11	assign\$3 with ((serial\$ near2 number\$) or "sequence number" or "sequence numbers" or (sequence\$ near3 number\$)) with (application\$)	652	L11	
L10	(assign\$3 with ((serial\$ near2 number\$) or "sequence number" or "sequence numbers") with (application\$ or transaction\$ or operation\$)).ab.	37	L10	
L9	(assign\$3 with ((serial\$ near2 number\$) or "sequence number" or "sequence numbers") with (application\$ or transaction\$ or operation\$)).ti.	2	L9	
L8	(5043866 or 5327556 or 5495590 or 5590318 or 5832203 or 6131094 o 5636360 or 3736566).pn.	r 17	L8	
L7	L6 not L2	20	L7	
L6	L5 and (lock\$3 or latch\$)	21	L6	
L5	L3 and L4	28	L5	
L4	page\$ near3 control\$3	15568	L4	
L3	assign\$3 with ((serial\$ near2 number\$) or "sequence number" or "sequence numbers") with (application\$ or transaction\$ or operation\$)	944	L3	
L2	L1 and "control page"	2	L2	
L1	assign\$3 with "sequence numbers"	1922	L1	

DATE: Tuesday, December 02, 2003

Set Name	Query	Hit Count	Set Name result set
•	SPT; PLUR=YES; OP=OR		
L25	L15 and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	27	L25
L24	L21 and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	6	L24
L23	L22 and ((707/\$ or 705/\$ or 709/\$).ccls.)	0	L23
L23	L21 and L10	0	L22
L21	L20 not (L17 and L14)	95	L21
L20	L15 and range\$	130	L20
L19	L15 and (distribut\$3 with data\$base\$)	10	L19
L18	L17 not L14	11	L18
L17	L15 and range\$ and (lock\$3 or clock\$3 or latch\$3)	46	L17
L16	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).ab.	3	L <u>1</u> 6
L15	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$)	218	
L14	L13 and (lock\$3 or clock\$3 or latch\$3)	35	
L13	L12 not L7	103	
L12	L9 and range\$	104	
L11	L9 and L10	1	
L10	((serial\$5 or sequence\$3) near3 number\$3) near4 range\$	637	7 L10
L9	(assign\$3 near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$)	173	7 L9
L8	(assign\$3 near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).ab.		3 L8
L7	L6 and lock\$3	30	
L6	L5 and latch\$3	4(
L5	L4 and (ID or IDs or identifier)	29:	
L4	L3 and "data structure"	37:	
L3	L2 and range\$	171	
L2	assign\$3 near4 (serial\$5 or sequence\$3) near3 number\$3	312	
L1	(serial\$5 or sequence\$3) near3 number\$3	7712	1 L1

END OF SEARCH HISTORY

DATE: Tuesday, December 02, 2003

Set Name side by side	Query	Hit Count S	Set Name result set
DB=US	PT; PLUR=YES; OP=OR		
L27	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).clm.	7	L27
L26	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).ti.	0	L26
L25	L15 and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	27	L25
L24	L21 and ((707/\$ or 705/\$ or 709/\$)!.ccls.)	6	L24
L23	L22 and ((707/\$ or 705/\$ or 709/\$).ccls.)	0	L23
L22	L21 and L10	0	L22
L21	L20 not (L17 and L14)	95	L21
L20	L15 and range\$	130	L20
L19	L15 and (distribut\$3 with data\$base\$)	10	L19
L18	L17 not L14	11	L18
L17	L15 and range\$ and (lock\$3 or clock\$3 or latch\$3)	46	L17
L16	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).ab.	3	L16
L15	((assign\$3 or generat\$3 or creat\$3) near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$)	218	L15
L14	L13 and (lock\$3 or clock\$3 or latch\$3)	35	L14
L13	L12 not L7	103	L13
L12	L9 and range\$	104	L12
L11	L9 and L10	1	L11
L10	((serial\$5 or sequence\$3) near3 number\$3) near4 range\$	637	L10
L9	(assign\$3 near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$)	177	L9
L8	(assign\$3 near4 ((serial\$5 or sequence\$3) near3 number\$3) near4 application\$).ab.	3	L8
L7	L6 and lock\$3	30	L7
L6	L5 and latch\$3	46	L6
L5	L4 and (ID or IDs or identifier)	292	L5
L4	L3 and "data structure"	372	L4
L3	L2 and range\$	1712	L3
L2	assign\$3 near4 (serial\$5 or sequence\$3) near3 number\$3	3128	L2
L1	(serial\$5 or sequence\$3) near3 number\$3	77121	L1

END OF SEARCH HISTORY